

CPET 499/ITC 250 Web Systems
Web Server Configuration and Trouble Shooting
September 25, 2018

References

- Apache HTTP Server Project, <http://httpd.apache.org/>
 - Apache httpd 2.4.23 Released, 2016-07-5
 - Apache HTTP 2.4.35 Released, 2018-09-22
- XAMPP Server, <https://www.apachefriends.org/index.html>
 - XAMPP, open source package, is a PHP development environment containing MariaDB, PHP, and Perl
 - XAMPP for Windows 7.2.9 (PHP 7.2.9) 2018-9-24, XAMPP for Linux, and XAMPP for OS X
- Wamp Server, <http://www.wampserver.com/en/>
- **Text book, Chapter 22** Web Server Administration and Virtualization, pp. 1030-1075

Topics on HTTP Web Server

- Configuration
- Virtual Hosts
- Authentication
- Content Description and Modification
- Indexing
- Redirection
- Proxying
- Logging
- Security
- Running a Big Web Site
- Building Applications
- Server-Side Includes
- PHP
- CGI and Perl
- mod_perl
- mod_jserv and Tomcat
- The Apache API
- Writing Apache Modules

Server Administration Knowledge/Skills

- Building, Installation, Upgrading
- Configuration
 - Configuration Files
 - Configuration Sections
- Starting, Stopping, Restarting
- Adding common modules
- Logging
- Virtual Hosts
- Aliases, Redirecting, and Rewriting
- Security


- Installing SSL
- Dynamic Content
 - Enabling CGI scripts, PHP, Perl, Python
- Error Handling
- Proxies
- Performance
- Directory Listings

College ETCS's Apache Web Server

```
[lin@etcs2 ~]$ ls
cgi-bin  home  public_html
[lin@etcs2 ~]$ cd /
[lin@etcs2 /]$ ls
bin      dev    home  lib64  mnt    proc  run    srv    tmp    var
boot    etc    lib   media  opt    root  sbin   sys    usr
[lin@etcs2 /]$ cd home
[lin@etcs2 home]$ ls
bender   elahib   lin      muellerd   raez      student_org
broberg  events   lis      old_homes  rosemb01  swe
cooklevt hiltona  liuy     oloomi     setzerc   thompsonoe
dostalc  klinrj01 luoh     presslem   spirac    vulnscan
dupenb   libii    moors   presslem-ad steffen   yen
[lin@etcs2 home]$ cd lin
[lin@etcs2 ~]$ ls
cgi-bin  home  public_html
[lin@etcs2 ~]$
```

After the XAMPP Server Installation, then Start the XAMPP Program

- Windows Start => XAMPP => XAMPP Control Panel



Apache or XAMPP Startup Problem

See what's Using Port 80:

1) Click Shell on the XAMPP Control Panel

2) netstat -ao

⇒ TCP 0.0.0.0:80 PID 4

```
Setting environment for using XAMPP for Windows.
Administrator@LIN-PC c:\7.2.8vc15
```

```
# netstat -ao
```

```
Active Connections
```

| Proto | Local Address | Foreign Address | State | PID |
|-------|--------------------|-----------------|-----------|------|
| TCP | 0.0.0.0:80 | lin-PC:0 | LISTENING | 4 |
| TCP | 0.0.0.0:135 | lin-PC:0 | LISTENING | 848 |
| TCP | 0.0.0.0:445 | lin-PC:0 | LISTENING | 4 |
| TCP | 0.0.0.0:1309 | lin-PC:0 | LISTENING | 2668 |
| TCP | 0.0.0.0:1332 | lin-PC:0 | LISTENING | 3684 |
| ... | | | | |
| TCP | 0.0.0.0:2869 | lin-PC:0 | LISTENING | 4 |
| ... | | | | |
| TCP | 0.0.0.0:49326 | lin-PC:0 | LISTENING | 644 |
| TCP | 0.0.0.0:50248 | lin-PC:0 | LISTENING | 4 |
| ... | | | | |
| TCP | 0.0.0.0:49326 | lin-PC:0 | LISTENING | 644 |
| TCP | 0.0.0.0:50248 | lin-PC:0 | LISTENING | 4 |
| TCP | 127.94.0.2:946 | lin-PC:0 | LISTENING | 3504 |
| TCP | 149.164.237.52:139 | lin-PC:0 | LISTENING | 4 |
| TCP | 192.168.1.13:139 | lin-PC:0 | LISTENING | 4 |

3) Task Manager

System PID 4 +. User Name SYSTEM

| Image Name | PID | User Name | CPU | Memory (Private...) | Description |
|---------------------------|------|--------------------|-----|---------------------|--------------------------------|
| NIWebServiceContainer... | 6056 | SYSTEM | 00 | 1,868 K | NI Web Service Container |
| NIWebServiceContainer... | 6100 | SYSTEM | 00 | 1,412 K | NI Web Service Container |
| NIWebServiceContainer... | 6136 | SYSTEM | 00 | 1,760 K | NI Web Service Container |
| nidmsrv.exe *32 | 3228 | SYSTEM | 00 | 3,648 K | nidmsrv |
| nipalsm.exe *32 | 1548 | SYSTEM | 00 | 2,168 K | NI-PAL Service Manager |
| iprntctl.exe | 6592 | Administrator | 00 | 4,032 K | Novell iPrint Control Utility |
| iprntlgn.exe | 6600 | Administrator | 00 | 1,440 K | Novell iPrint Login Monitor |
| iprntsrv.exe | 2648 | SYSTEM | 00 | 2,140 K | Novell iPrint Service |
| System | 4 | SYSTEM | 00 | 76 K | NT Kernel & System |
| openvpn.exe *32 | 9892 | SYSTEM | 00 | 2,676 K | openvpn.exe |
| ovpntray.exe *32 | 7008 | Administrator | 00 | 15,644 K | ovpntray.exe |
| lkcidtl.exe *32 | 4552 | SYSTEM | 00 | 4,040 K | Part of Logos |
| System Idle Process | 0 | SYSTEM | 98 | 24 K | Percentage of time the proce |
| PresentationFontCache... | 4576 | LOCAL SERVICE | 00 | 8,708 K | PresentationFontCache.exe |
| ReportingServicesServi... | 3776 | ReportServer\$S... | 00 | 61,044 K | Reporting Services Service |
| RNADirMultiplexor.exe ... | 8748 | SYSTEM | 00 | 13,140 K | RNA Directory Client Multiplex |
| RnaDirServer.exe *32 | 5768 | SYSTEM | 00 | 10,948 K | RNA Directoryv Server |

Show processes from all users End Process

End (Kill) the process from Task Manager (but unsuccessful)
NT Kernel & System?

From Windows Control Panel => Administrative Tools => Services
OR click on XAMPP Control Panel => Services button

| Name | Description | Status | Startup Type | Log On As |
|-------------------------------------|------------------|---------|--------------|----------------|
| ActiveX Installer (AxInstSV) | Provides Us... | | Manual | Local Syste... |
| Adaptive Brightness | Monitors a... | Started | Manual | Local Service |
| Adobe Acrobat Update Service | Adobe Acro... | Started | Automatic | Local Syste... |
| Adobe Genuine Monitor Service | Adobe Gen... | Started | Automatic | Local Syste... |
| Adobe Genuine Software Integrit... | Adobe Gen... | Started | Automatic | Local Syste... |
| Agilent IO Libraries Service | Provides sys... | Started | Automatic | Local Syste... |
| Agilent mDNS Responder Service | Enables har... | Started | Automatic | Local Syste... |
| Agilent PXI Resource Manager | Manages re... | Started | Manual | Local Syste... |
| Altera JTAG Server | | Started | Automatic | Local Syste... |
| Application Experience | Processes a... | Started | Manual | Local Syste... |
| Application Identity | Determines ... | | Manual | Local Service |
| Application Information | Facilitates t... | | Manual | Local Syste... |
| Application Layer Gateway Service | Provides su... | | Manual | Local Service |
| Application Management | Processes in... | | Manual | Local Syste... |
| ASP.NET State Service | Provides su... | | Disabled | Network S... |
| Autodesk Application Manager S... | Autodesk A... | Started | Automatic | Local Syste... |
| Autodesk Content Service | Autodesk C... | Started | Automatic | Local Syste... |
| Background Intelligent Transfer ... | Transfers fil... | Started | Manual | Local Syste... |


Extended / Standard

Problem (A) NI System Web Server is using port 80

- Click on “Stop the Service”
- Then restart the XAMPP
- **Problem remains**

Problem (B) SQL Server Reporting Services (SQLEXPRESS)

- Click on “Stop the Service”
- Then restart the XAMPP
- **GOOD TO GO**
- Click on Start Apache => Different Problem



Problem (C) If NOT ABLE to solve the problem yet:

Using NET STOP HTTP command to stop HTTP service

```
Administrator@LIN-PC c:\xampp
#cls
# NET Stop HTTP
The following services are dependent on the HTTP service.
Stopping the HTTP service will also stop these services.

    UPnP Device Host
    SSDP Discovery
    Print Spooler


Do you want to continue this operation? (Y/N) [N]: y
The UPnP Device Host service is stopping.
The UPnP Device Host service was stopped successfully.
```

The SSDP Discovery service is stopping.
The SSDP Discovery service was stopped successfully.


The Print Spooler service is stopping.
The Print Spooler service was stopped successfully.

The HTTP service is stopping.....
The HTTP service could not be stopped.

Restart XAMPP Control Panel, then Click Start Apache






Then Click Start MySQL




XAMPP Control Panel:

Click on "Config", then click on "Service and Port Settings" to see



Apache Folders/Subdirectories (XAMPP example)

Click on Shell




```
Administrator: XAMPP for Windows
Setting environment for using XAMPP for Windows.
Administrator@LIN-PC c:\xampp7.2.8vc15
# dir
Volume in drive C has no label.
Volume Serial Number is CA27-2D0F

Directory of c:\xampp7.2.8vc15
08/27/2018 05:32 PM <DIR> .
08/27/2018 05:32 PM <DIR> ..
08/27/2018 05:01 PM <DIR> anonymous
08/27/2018 05:01 PM <DIR> apache
06/07/2013 07:15 AM 436 apache_start.bat
06/07/2013 07:15 AM 140 apache_stop.bat
03/30/2013 08:29 AM 9,439 catalina_service.bat
06/07/2013 07:15 AM 2,727 catalina_start.bat
06/25/2013 09:36 AM 2,492 catalina_stop.bat
08/27/2018 05:01 PM <DIR> cgi-bin
08/27/2018 05:01 PM <DIR> contrib
08/27/2018 05:01 PM 3,386 ctlscript.bat
08/27/2018 05:01 PM <DIR> FileZillaFTP
03/30/2013 08:29 AM 78 filezilla_setup.bat
06/07/2013 07:15 AM 150 filezilla_start.bat
06/07/2013 07:15 AM 149 filezilla_stop.bat
08/27/2018 05:01 PM <DIR> htdocs
08/27/2018 05:01 PM <DIR> img
08/27/2018 05:01 PM <DIR> install
08/27/2018 05:01 PM <DIR> licenses
08/27/2018 05:01 PM <DIR> locale
08/27/2018 05:01 PM <DIR> mailoutput
08/27/2018 05:01 PM <DIR> mailtodisk
08/27/2018 05:01 PM <DIR> MercuryMail
06/07/2013 07:15 AM 136 mercury_start.bat
06/07/2013 07:15 AM 60 mercury_stop.bat
08/27/2018 05:01 PM <DIR> mysql
06/07/2013 07:15 AM 481 mysql_start.bat
06/07/2013 07:15 AM 220 mysql_stop.bat
03/13/2017 07:04 AM 824 passwords.txt
08/27/2018 05:01 PM <DIR> perl
08/27/2018 05:01 PM <DIR> php
08/27/2018 05:01 PM <DIR> phpMyAdmin
08/27/2018 05:01 PM 877 properties.ini
08/06/2018 11:21 AM 7,697 readme_de.txt
08/06/2018 11:21 AM 7,564 readme_en.txt
08/06/2018 11:30 AM 2,413 RELEASENOTES
08/27/2018 05:01 PM <DIR> sendmail
03/30/2013 08:29 AM 60,928 service.exe
03/30/2013 08:29 AM 1,255 setup_xampp.bat
08/27/2018 05:01 PM <DIR> src
12/08/2016 02:40 PM 2,052 test_php.bat
08/27/2018 05:01 PM <DIR> tmp
08/27/2018 05:01 PM <DIR> tomcat
08/27/2018 05:04 PM 228,008 uninstall.dat
08/27/2018 05:04 PM 8,539,353 uninstall.exe
```

Inside Apache Folder/Directory

- apache
 - /bin/
 - /conf/httpd.conf the configuration file
 - Listening port 80 (default)
 - LoadModule
 - ServerName localhost:80
 - DocumentRoot "C:/xampp/htdocs"
 - <Directory "C:/xampp/htdocs"> ... </Directory>
 - <Directory "C:/xampp/cgi-bin"> ... </Directory>

- /conf/exta
- /conf/original
- /conf/ssl.crt
- /conf/ssl.csr
- /conf/ssl.key
- /error
- /icons
- /include
- /lib
- /logs
- /manual
- /modules
- /scripts
- htdocs
- cgi-bin
- php
- perl
- phpMyAdmin



Change HTTP Port to 8090

Discussion Forum:

- <http://stackoverflow.com/questions/34495137/tomcat-shutdown-unexpectedly>
- net stop http -- stop the services on port 80
- netstat -abno -- to see who else is using port