

# HTML Tables and Forms

## Chapter 5

Randy Connolly and Ricardo Hoar

Fundamentals of Web Development

© 2017 Pearson  
<http://www.funwebdev.com>

## Chapter 5

**1** Introducing Tables

**2** Styling Tables

**3** Introducing Forms

**4** Form Control Elements

**5** Table and Form Accessibility

**6** Microformats

**7** Summary

Randy Connolly and Ricardo Hoar

Fundamentals of Web Development - 2<sup>nd</sup> Ed.

# Chapter 5

**1** Introducing Tables

**2** Styling Tables

**3** Introducing Forms

**4** Form Control Elements

**5** Table and Form Accessibility

**6** Microformats

**7** Summary

Randy Connolly and Ricardo Hoar

Fundamentals of Web Development - 2<sup>nd</sup> Ed.

# Introducing Tables

Basic Table Structure ([Figure 5.1](#))

Randy Connolly and Ricardo Hoar

Fundamentals of Web Development - 2<sup>nd</sup> Ed.

# Introducing Tables

Basic Table Structure ([Figure 5.2](#))

```
<table>
<tr> The Death of Marat <td> Jacques-Louis David <td> 1793 <td> 162cm <td> 128cm <td>
<tr> Burial at Ornans <td> Gustave Courbet <td> 1849 <td> 314cm <td> 663cm <td>
<table>
  <tr>
    <td>The Death of Marat</td>
    <td>Jacques-Louis David</td>
    <td>1793</td>
    <td>162cm</td>
    <td>128cm</td>
  </tr>
  <tr>
    <td>Burial at Ornans</td>
    <td>Gustave Courbet</td>
    <td>1849</td>
    <td>314cm</td>
    <td>663cm</td>
  </tr>
</table>
```

Randy Connolly and Ricardo Hoar Fundamentals of Web Development - 2<sup>nd</sup> Ed.

# Introducing Tables

Adding Headings ([Figure 5.3](#))

```
<table>
<tr> Title <th> Artist <th> Year <th> Width <th> Height <th>
<tr> The Death of Marat <td> Jacques-Louis David <td> 1793 <td> 162cm <td> 128cm <td>
<tr> Burial at Ornans <td> Gustave Courbet <td> 1849 <td> 314cm <td> 663cm <td>
<table>
  <tr>
    <th>Title</th>
    <th>Artist</th>
    <th>Year</th>
    <th>Width</th>
    <th>Height</th>
  </tr>
  <tr>
    <td>The Death of Marat</td>
    <td>Jacques-Louis David</td>
    <td>1793</td>
    <td>162cm</td>
    <td>128cm</td>
  </tr>
  <tr>
    <td>Burial at Ornans</td>
    <td>Gustave Courbet</td>
    <td>1849</td>
    <td>314cm</td>
    <td>663cm</td>
  </tr>
</table>
```

Randy Connolly and Ricardo Hoar Fundamentals of Web Development - 2<sup>nd</sup> Ed.

# Introducing Tables

Spanning Columns ([Figure 5.4](#))

Title	Artist	Year	Size (width x height)
The Death of Marat	Jacques-Louis David	1793	162cm 128cm
Burial at Ornans	Gustave Courbet	1849	314cm 663cm

```

<table>
  <tr>
    <th>Title</th>
    <th>Artist</th>
    <th>Year</th>
    <th>Size (width x height)</th>
  </tr>
  <tr>
    <td>The Death of Marat</td>
    <td>Jacques-Louis David</td>
    <td>1793</td>
    <td>162cm</td>
    <td>128cm</td>
  </tr>
  ...
</table>

```

Notice that this row now only has four cell elements.

Randy Connolly and Ricardo Hoar

Fundamentals of Web Development - 2<sup>nd</sup> Ed.

# Introducing Tables

Spanning Rows ([Figure 5.5](#))

Artist	Title	Year
Jacques-Louis David	The Death of Marat	1793
	The Intervention of the Sabine Women	1799
	Napoleon Crossing the Alps	1800

```

<table>
  <tr>
    <th>Artist</th>
    <th>Title</th>
    <th>Year</th>
  </tr>
  <tr>
    <td data-kind="parent" data-rs="3">Jacques-Louis David</td>
    <td>The Death of Marat</td>
    <td>1793</td>
  </tr>
  <tr>
    <td data-kind="ghost">


Notice that these two rows now only have two cell elements.


```

Randy Connolly and Ricardo Hoar

Fundamentals of Web Development - 2<sup>nd</sup> Ed.

# Introducing Tables

Additional Table Elements ([Figure 5.6](#))

```

A title for the






```

These describe our columns, and can be used to aid in styling.

Table header could potentially also include other `<tr>` elements.

Yes, the table footer comes *before* the body.

Potentially, with styling the browser can scroll this information, while keeping the header and footer fixed in place.



Randy Connolly and Ricardo Hoar

Fundamentals of Web Development - 2<sup>nd</sup> Ed.

# Introducing Tables

Using Tables for Layout ([Figure 5.7a, Figure 5.7b with green border, embedded CSS](#))

```





```

Randy Connolly and Ricardo Hoar

Fundamentals of Web Development - 2<sup>nd</sup> Ed.

# Chapter 5

**1** Introducing Tables

**2** Styling Tables

**3** Introducing Forms

**4** Form Control Elements

**5** Table and Form Accessibility

**6** Microformats


**7** Summary

---


Randy Connolly and Ricardo Hoar
Fundamentals of Web Development - 2<sup>nd</sup> Ed.

# Styling Tables

Table Borders (Figure 5.8)




19th Century French Paintings		
Title	Artist	Year
The Death of Marat	Jacques-Louis David	1793
Burial at Ormns	Gustave Courbet	1849
The Sleepers	Gustave Courbet	1860
Liberty Leading the People	Eugene Delacroix	1830
Total Number of Paintings		4



```
table {
  border: solid 1pt black;
}
```



```
table {
  border: solid 1pt black;
}
td {
  border: solid 1pt black;
}
```



```
table {
  border: solid 1pt black;
  border-collapse: collapse;
}
td {
  border: solid 1pt black;
}
```

---

Randy Connolly and Ricardo Hoar
Fundamentals of Web Development - 2<sup>nd</sup> Ed.

# Styling Tables

Table Borders ([Figure 5.8](#))

19th Century French Paintings		
Title	Artist	Year
The Death of Marat	Jacques-Louis David	1793
Burial at Ornans	Gustave Courbet	1849
The Sleepers	Gustave Courbet	1860
Liberty Leading the People	Eugene Delacroix	1830
Total Number of Paintings		4

```
table {
    border: solid 1pt black;
    border-collapse: collapse;
}
td {
    border: solid 1pt black;
    padding: 10pt;
}

table {
    border: solid 1pt black;
    border-spacing: 10pt;
}
td {
    border: solid 1pt black;
}
```

Randy Connolly and Ricardo Hoar

Fundamentals of Web Development - 2<sup>nd</sup> Ed.

# Styling Tables

Boxes ([Figure 5.9](#))

19TH CENTURY FRENCH PAINTINGS		
Title	Artist	Year
The Death of Marat	Jacques-Louis David	1793
Burial at Ornans	Gustave Courbet	1849
The Sleepers	Gustave Courbet	1860
Liberty Leading the People	Eugene Delacroix	1830
Mademoiselle Caroline Riviere Jean-Auguste-Dominique Ingres	1806	

```
caption {
    font-weight: bold;
    padding: 0.25em 0 0.25em 0;
    text-align: left;
    text-transform: uppercase;
    border-top: 1px solid #DCA806;
}
table {
    font-size: 0.8em;
    font-family: Arial, sans-serif;
    border-collapse: collapse;
    border-top: 4px solid #DCA806;
    border-bottom: 1px solid white;
    text-align: left;
}
```

<link rel="stylesheet" href="figure05-09.css" />

Randy Connolly and Ricardo Hoar

Fundamentals of Web Development - 2<sup>nd</sup> Ed.

# Styling Tables

Boxes (Figure 5.9 CSS)

```

table {
    font-size: 0.8em;
    font-family: Arial, Helvetica, sans-serif;
    border-collapse: collapse;
    border-top: 4px solid #DCA806;
    border-bottom: 1px solid white;
    text-align: left;
}

caption {
    font-weight: bold;
    padding: 3px 0 4px 0;
    text-align: left;
    text-transform: uppercase;
    border-top: 1px solid #DCA806;
}

```

Randy Connolly and Ricardo Hoar      Fundamentals of Web Development - 2<sup>nd</sup> Ed.

# Styling Tables

Boxes (Figure 5.9a)

Title	Artist	Year
The Death of Marat	Jacques-Louis David	1793
Burial at Ornans	Gustave Courbet	1849
The Sleepers	Gustave Courbet	1860
Liberty Leading the People	Eugene Delacroix	1830
Mademoiselle Caroline Riviere Jean-Auguste-Dominique Ingres	Jean-Auguste-Dominique Ingres	1806

```

thead tr {
    background-color: #CACACA;
}
th {
    padding: 0.75em;
}

```

Randy Connolly and Ricardo Hoar      Fundamentals of Web Development - 2<sup>nd</sup> Ed.

# Styling Tables

Boxes (Figure 5.9c)

19TH CENTURY FRENCH PAINTINGS		
Title	Artist	Year
The Death of Marat	Jacques-Louis David	1793
Burial at Ornans	Gustave Courbet	1849
The Sleepers	Gustave Courbet	1860
Liberty Leading the People	Eugene Delacroix	1830
Mademoiselle Caroline Riviere	Jean-Auguste-Dominique Ingres	1806

```
tbody tr {
  background-color: #F1F1F1;
  border-bottom: 1px solid white;
  color: #6E6E6E;
}
tbody td {
  padding: 0.75em;
}
```

Randy Connolly and Ricardo Hoar

Fundamentals of Web Development - 2<sup>nd</sup> Ed.

# Styling Tables

Hover & Zebras (Figure 5.10)

19TH CENTURY FRENCH PAINTINGS		
Title	Artist	Year
The Death of Marat	Jacques-Louis David	1793
Burial at Ornans	Gustave Courbet	1849
The Sleepers	Gustave Courbet	1860
Liberty Leading the People	Eugene Delacroix	1830
Mademoiselle Caroline Riviere	Jean-Auguste-Dominique Ingres	1806

```
tbody tr:hover {
  background-color: #9e9e9e;
  color: black;
}
```

19TH CENTURY FRENCH PAINTINGS		
Title	Artist	Year
The Death of Marat	Jacques-Louis David	1793
Burial at Ornans	Gustave Courbet	1849
The Sleepers	Gustave Courbet	1860
Liberty Leading the People	Eugene Delacroix	1830
Mademoiselle Caroline Riviere	Jean-Auguste-Dominique Ingres	1806

```
tbody tr:nth-child(even) {
  background-color: lightgray;
}
```

Randy Connolly and Ricardo Hoar

Fundamentals of Web Development - 2<sup>nd</sup> Ed.

# Chapter 5

**1** Introducing Tables

**2** Styling Tables

**3** Introducing Forms

**4** Form Control Elements

**5** Table and Form Accessibility

**6** Microformats


**7** Summary

Randy Connolly and Ricardo Hoar

Fundamentals of Web Development - 2<sup>nd</sup> Ed.

# Introducing Forms

Form Structure ([Figure 5.11](#))




Randy Connolly and Ricardo Hoar

Fundamentals of Web Development - 2<sup>nd</sup> Ed.

# Introducing Forms

How Forms Work ([Figure 5.12](#))




Randy Connolly and Ricardo Hoar

Fundamentals of Web Development - 2<sup>nd</sup> Ed.

# Introducing Forms

Query Strings ([Figure 5.13](#))




Randy Connolly and Ricardo Hoar

Fundamentals of Web Development - 2<sup>nd</sup> Ed.

# Introducing Forms

GET and POST (**Figure 5.15**)



Randy Connolly and Ricardo Hoar

Fundamentals of Web Development - 2<sup>nd</sup> Ed.

# Introducing Forms

HTML Form elements (**Table 5-2, page 187**)

- <button>
- <legend>
- <datalist>
- <option>
- <fieldset>
- <optgroup>
- <form>
- <select>
- <input>
- <textarea>
- <label>
- <output>

Randy Connolly and Ricardo Hoar

Fundamentals of Web Development - 2<sup>nd</sup> Ed.

# Chapter 5

**1** Introducing Tables

**2** Styling Tables

**3** Introducing Forms

**4** Form Control Elements

**5** Table and Form Accessibility

**6** Microformats

**7** Summary

---

Randy Connolly and Ricardo Hoar
Fundamentals of Web Development - 2<sup>nd</sup> Ed.

# Form Control Elements

Text Input Controls ([Figure 5.16, page 188](#))

```
<input type="text" ... />
Text: 
```

<textarea>

```
<textarea> enter some text </textarea>
```

TextArea:

TextArea:

<input type="password" ... />

Password:

<input type="search" placeholder="enter search text" ... />

Search:  Search:

<input type="email" ... />

Email:  In Opera

Please enter a valid email address

<input type="email" ... />

Email:  In Chrome

Please enter an email address

<input type="url" ... />

url:  Please enter a URL

<input type="tel" ... />

Tel:

# Form Control Elements

New in HTML5 – pattern and datalist ([Figure 5.17, 5-18](#))

```
<input type="text" ... placeholder="L#L #L#" pattern="[a-z][0-9][a-z][0-9][a-z][0-9]" />
Postal: L#L #L#
Postal: abcd
Please match the requested format.
```

```
<input type="text" name="city" list="cities" />
<datalist id="cities">
    <option>Calcutta</option>
    <option>Calgary</option>
    <option>London</option>
    <option>Los Angeles</option>
    <option>Paris</option>
    <option>Prague</option>
</datalist>
```

Randy Connolly and Ricardo Hoar

Fundamentals of Web Development - 2<sup>nd</sup> Ed.

# Form Control Elements

Choice Controls (<select>) ([Figure 5.19](#))

```
Select: Second
Select: First, Second, Third
Select: First, Second, Third, Fourth

<select name="choices">
    <option>First</option>
    <option selected>Second</option>
    <option>Third</option>
</select>

<select size="3" ... >
```

```
<select ... >
<optgroup label="North America">
    <option>Calgary</option>
    <option>Los Angeles</option>
</optgroup>
<optgroup label="Europe">
    <option>London</option>
    <option>Paris</option>
    <option>Prague</option>
</optgroup>
</select>
```

Randy Connolly and Ricardo Hoar

Fundamentals of Web Development - 2<sup>nd</sup> Ed.

# Form Control Elements

Choice Controls <select> using value attribute ([Figure 5.20](#))

The diagram shows a screenshot of a web page with a form control element. On the left, there is a dropdown menu labeled "Select:" with options "Second", "First", "Second" (which is highlighted), and "Third". To the right of the menu is its corresponding HTML code:

```

<select name="choices">
  <option>First</option>
  <option value="Second">Second</option>
  <option>Third</option>
</select>

```

An arrow points from the highlighted "Second" option in the menu to a box labeled "?choices=Second". Below this, another arrow points from the "Second" option in the code to a box labeled "?choices=2".

Randy Connolly and Ricardo Hoar Fundamentals of Web Development - 2<sup>nd</sup> Ed.

# Form Control Elements

Button Controls (radio) ([Figure 5.21](#))

The diagram shows a screenshot of a web page with a form control element. On the left, there is a label "Continent:" followed by a list of radio buttons:

- North America
- South America
- Asia

To the right of the list is its corresponding HTML code:

```

<input type="radio" name="where" value="1">North America<br/>
<input checked="" type="radio" name="where" value="2">South America<br/>
<input type="radio" name="where" value="3">Asia

```

Randy Connolly and Ricardo Hoar Fundamentals of Web Development - 2<sup>nd</sup> Ed.

# Form Control Elements

Button Controls (checkbox) (Figure 5.22)

I accept the software license  `<label>I accept the software license</label>`

`<input type="checkbox" name="accept" >`

Where would you like to visit?

Canada `<input type="checkbox" name="visit" value="canada">Canada<br/>`

France `<input type="checkbox" name="visit" value="france">France<br/>`

Germany `<input type="checkbox" name="visit" value="germany">Germany`


?accept=on&visit=canada&visit=germany

Randy Connolly and Ricardo Hoar

Fundamentals of Web Development - 2<sup>nd</sup> Ed.

# Form Control Elements

Button Controls (checkbox) (Figure 5.23)



Randy Connolly and Ricardo Hoar

Fundamentals of Web Development - 2<sup>nd</sup> Ed.

# Form Control Elements

Specialized Controls (file upload) (Figure 5.24)

The screenshot shows a file upload interface. On the left, there is a label "Upload a travel photo" followed by a "Choose File" button and the text "No file chosen". An arrow points down to another instance of the same form, where the "Choose File" button now has the value "IMG\_0020.JPG". To the right of the form, the corresponding HTML code is displayed:

```
<form method="post" enctype="multipart/form-data" ... >
  ...
  <label>Upload a travel photo</label>
  <input type="file" name="photo" />
  ...
</form>
```

Randy Connolly and Ricardo Hoar

Fundamentals of Web Development - 2<sup>nd</sup> Ed.

# Form Control Elements

Specialized Controls (number and range controls) (Figure 5.25)

The screenshot displays two examples of specialized form controls. The first example shows a "Rate this photo:" label followed by a numeric input field containing the value "2". The second example shows a "Rate this photo:" label followed by a range input slider with handles labeled "Grumpy" and "Ecstatic". A callout box points from the bottom of the second example to the text "Controls as they appear in browser that doesn't support these input types". To the right of the examples, the corresponding HTML code is shown:

```
<label>Rate this photo:<br/>
<input type="number" min="1" max="5" name="rate" />
```


```
<label>Rate this photo:<br/>
<input type="range" min="0" max="10" step="1" name="happiness" />
```

Randy Connolly and Ricardo Hoar

Fundamentals of Web Development - 2<sup>nd</sup> Ed.

# Form Control Elements

Specialized Controls (color) (Figure 5.27)



Randy Connolly and Ricardo Hoar


Fundamentals of Web Development - 2<sup>nd</sup> Ed.

# Form Control Elements

Date and Time Controls (Figure 5.28)




```
<label>Date: <br/>
<input type="date" ... />
```



```
<input type="time" ... />
```



```
<input type="datetime" ... />
```




```
<input type="datetime-local" ... />
```

Randy Connolly and Ricardo Hoar

Fundamentals of Web Development - 2<sup>nd</sup> Ed.

# Form Control Elements

Date and Time Controls (Figure 5.28)



Randy Connolly and Ricardo Hoar

Fundamentals of Web Development - 2<sup>nd</sup> Ed.

## Chapter 5

**1** Introducing Tables

**2** Styling Tables

**3** Introducing Forms

**4** Form Control Elements

**5** Table and Form Accessibility

**6** Microformats

**7** Summary

Randy Connolly and Ricardo Hoar

Fundamentals of Web Development - 2<sup>nd</sup> Ed.

# Table and Form Accessibility

Accessible Tables ([Listing 5.1](#))

- Use tables for data, not layout
- Use the `<caption>` element
- Connect cells with a textual description in the header

```
<caption>Famous Paintings</caption>
<tr>
<th scope="col">Title</th>
<th scope="col">Artist</th>
<th scope="col">Year</th>
<th scope="col">Width</th>
<th scope="col">Height</th>
</tr>
```

Randy Connolly and Ricardo Hoar

Fundamentals of Web Development - 2<sup>nd</sup> Ed.

# Table and Form Accessibility

Accessible Form ([Figure 5.29](#))

```
<label for="f-title">Title: </label>
<input type="text" name="title" id="f-title"/>

<label for="f-country">Country: </label>
<select name="where" id="f-country">
<option>Choose a country</option>
<option>Canada</option>
<option>Finland</option>
<option>United States</option>
</select>
```

Randy Connolly and Ricardo Hoar

Fundamentals of Web Development - 2<sup>nd</sup> Ed.

## Chapter 5

**1** Introducing Tables

**2** Styling Tables

**3** Introducing Forms

**4** Form Control Elements

**5** Table and Form Accessibility


**6** Microformats

**7** Summary

Randy Connolly and Ricardo Hoar

Fundamentals of Web Development - 2<sup>nd</sup> Ed.

## Microformats



Randy Connolly and Ricardo Hoar

Fundamentals of Web Development - 2<sup>nd</sup> Ed.

# Microformats

Schema.org

Randy Connolly and Ricardo Hoar

Fundamentals of Web Development - 2<sup>nd</sup> Ed.

Search engines use the information marked up using vocabulary from schema.org to provide additional structured information.

# Microformats

References

hCard, which is used to semantically mark up contact information for a person

- <http://microformats.org/wiki/hcard>.

Schema.org aims to create and promote schemas for structured data on the Web. Google's on-line testing tool helps developers test their semantic markup and microformats

- <https://search.google.com/structured-data/testing-tool/u/0/>

Randy Connolly and Ricardo Hoar

Fundamentals of Web Development - 2<sup>nd</sup> Ed.

## Chapter 5

**1** Introducing Tables

**2** Styling Tables

**3** Introducing Forms

**4** Form Control Elements

**5** Table and Form Accessibility

**6** Microformats

**7** Summary

Randy Connolly and Ricardo Hoar

Fundamentals of Web Development - 2<sup>nd</sup> Ed.

## Summary

### Key Terms

- checkbox
- colspan
- form
- GET
- hCard
- microformat
- POST
- query string
- radio buttons
- rowspan
- schema.org
- table
- URL encoded
- web accessibility
- Web Accessibility Initiative (WAI)

Randy Connolly and Ricardo Hoar

Fundamentals of Web Development - 2<sup>nd</sup> Ed.

# Questions

---

Randy Connolly and Ricardo Hoar

Fundamentals of Web Development - 2<sup>nd</sup> Ed.