


# WILEY



## Applied Statistics and Probability for Engineers

Sixth Edition

Douglas C. Montgomery George C. Runger

### Chapter 6 Descriptive Statistics

Copyright © 2014 John Wiley & Sons, Inc. All rights reserved.

# 6

## Descriptive Statistics

### CHAPTER OUTLINE

- |  |                         |
|--|-------------------------|
| 6-1 Numerical Summaries of Data            | 6-4 Box Plots           |
| 6-2 Stem-and-Leaf Diagrams                 | 6-5 Time Sequence Plots |
| 6-3 Frequency Distributions and Histograms | 6-6 Probability Plots   |

Chapter 6 Title and Outline

Copyright © 2014 John Wiley & Sons, Inc. All rights reserved.

2  
WILEY

## Learning Objectives for Chapter 6

After careful study of this chapter, you should be able to do the following:

1. Compute and interpret the sample mean, variance, standard deviation, median, and range.
2. Explain the concepts of sample mean, variance, population mean, and variance.
3. Construct and interpret visual data displays, including stem-and-leaf display, histogram, and box plot.
4. Concept of random sampling.
5. Construct and interpret normal probability plots.
6. How to use box plots, and other data displays, to visually compare two or more samples of data.
7. How to use simple time series plots to visually display the important features of time-oriented data.

Chapter 6 Learning Objectives

Copyright © 2014 John Wiley & Sons, Inc. All rights reserved.

3

WILEY

## Numerical Summaries of Data

- **Data** are the numeric observations of a phenomenon of interest. The totality of all observations is a **population**. A portion used for analysis is a random **sample**.
- We **gain an understanding** of this collection, possibly massive, by describing it numerically and graphically, usually with the sample data.
- We describe the collection in terms of **shape, outliers, center, and spread** (SOCS).
- The **center** is measured by the mean.
- The **spread** is measured by the variance.

Sec 6-1 Numerical Summaries of Data

Copyright © 2014 John Wiley & Sons, Inc. All rights reserved.

4

WILEY

## Sample Mean

If the  $n$  observations in a random sample are denoted by  $x_1, x_2, \dots, x_n$ , the **sample mean** is

$$\bar{x} = \frac{x_1 + x_2 + \dots + x_n}{n} = \frac{\sum_{i=1}^n x_i}{n}$$

For the  $N$  observations in a population denoted by  $x_1, x_2, \dots, x_N$ , the **population mean** is analogous to a probability distribution as

$$\mu = \sum_{i=1}^N x_i \cdot f(x) = \frac{\sum_{i=1}^N x_i}{N}$$

Sec 6-1 Numerical Summaries of Data

Copyright © 2014 John Wiley & Sons, Inc. All rights reserved.

5

WILEY

## Example 6-1: Sample Mean

Consider 8 observations ( $x_i$ ) of **pull-off force** from engine connectors as shown in the table.

$$\begin{aligned} \bar{x} = \text{average} &= \frac{\sum_{i=1}^8 x_i}{8} = \frac{12.6 + 12.9 + \dots + 13.1}{8} \\ &= \frac{104}{8} = 13.0 \text{ pounds} \end{aligned}$$

$i$	$x_i$
1	12.6
2	12.9
3	13.4
4	12.3
5	13.6
6	13.5
7	12.6
8	13.1
	13.00
	= AVERAGE(\$B2:\$B9)




Figure 6-1 The sample mean is the balance point.

Sec 6-1 Numerical Summaries of Data

Copyright © 2014 John Wiley & Sons, Inc. All rights reserved.

6

WILEY

## Variance Defined

If the  $n$  observations in a sample are denoted by  $x_1, x_2, \dots, x_n$ , the **sample variance** is

$$s^2 = \frac{\sum_{i=1}^n (x_i - \bar{x})^2}{n-1}$$

For the  $N$  observations in a population denoted by  $x_1, x_2, \dots, x_N$ , the **population variance**, analogous to the variance of a probability distribution, is

$$\sigma^2 = \sum_{i=1}^N (x_i - \mu)^2 \cdot f(x) = \frac{\sum_{i=1}^N (x_i - \mu)^2}{N}$$

Sec 6-1 Numerical Summaries of Data

Copyright © 2014 John Wiley & Sons, Inc. All rights reserved.

7  
WILEY

## Standard Deviation Defined

- The standard deviation is the square root of the variance.
- $\sigma$  is the population standard deviation symbol.
- $s$  is the sample standard deviation symbol.

Sec 6-1 Numerical Summaries of Data

Copyright © 2014 John Wiley & Sons, Inc. All rights reserved.

8  
WILEY

## Example 6-2: Sample Variance

Table 6-1 displays the quantities needed to calculate the sample variance and sample standard deviation.

Dimension of:

$x_i$  is pounds  
 Mean is pounds.  
 Variance is pounds<sup>2</sup>.  
 Standard deviation is pounds.

Desired accuracy is generally accepted to be one more place than the data.

$i$	$x_i$	$x_i - \bar{x}$	$(x_i - \bar{x})^2$
1	12.6	-0.4	0.16
2	12.9	-0.1	0.01
3	13.4	0.4	0.16
4	12.3	-0.7	0.49
5	13.6	0.6	0.36
6	13.5	0.5	0.25
7	12.6	-0.4	0.16
8	13.1	0.1	0.01
sums =	104.00	0.0	1.60
	divide by 8		divide by 7
$\bar{x}$ =	13.00	variance =	0.2286
		standard deviation =	0.48

Table 6-1

Sec 6-1 Numerical Summaries of Data

Copyright © 2014 John Wiley & Sons, Inc. All rights reserved.

9  
**WILEY**

## Computation of $s^2$

The prior calculation is definitional and tedious. A shortcut is derived here and involves just 2 sums.

$$\begin{aligned}
 s^2 &= \frac{\sum_{i=1}^n (x_i - \bar{x})^2}{n-1} = \frac{\sum_{i=1}^n (x_i^2 + \bar{x}^2 - 2x_i\bar{x})}{n-1} \\
 &= \frac{\sum_{i=1}^n x_i^2 + n\bar{x}^2 - 2\bar{x}\sum_{i=1}^n x_i}{n-1} = \frac{\sum_{i=1}^n x_i^2 + n\bar{x}^2 - 2\bar{x} \cdot n\bar{x}}{n-1} \\
 &= \frac{\sum_{i=1}^n x_i^2 - n\bar{x}^2}{n-1} = \frac{\sum_{i=1}^n x_i^2 - \left(\sum_{i=1}^n x_i\right)^2 / n}{n-1}
 \end{aligned}$$

Sec 6-1 Numerical Summaries of Data

Copyright © 2014 John Wiley & Sons, Inc. All rights reserved.

10  
**WILEY**

## Example 6-3: Variance by Shortcut

$$s^2 = \frac{\sum_{i=1}^n x_i^2 - \left(\sum_{i=1}^n x_i\right)^2 / n}{n-1}$$

$$= \frac{1,353.60 - (104.0)^2 / 8}{7}$$

$$= \frac{1.60}{7} = 0.2286 \text{ pounds}^2$$

$i$	$x_i$	$x_i^2$
1	12.6	158.76
2	12.9	166.41
3	13.4	179.56
4	12.3	151.29
5	13.6	184.96
6	13.5	182.25
7	12.6	158.76
8	13.1	171.61
sums =	104.0	1,353.60

$$s = \sqrt{0.2286} = 0.48 \text{ pounds}$$

Sec 6-1 Numerical Summaries of Data

Copyright © 2014 John Wiley & Sons, Inc. All rights reserved.

11  
WILEY

## What is this “n–1”?

- The population variance is calculated with  $N$ , the population size. Why isn't the sample variance calculated with  $n$ , the sample size?
- The true variance is based on data deviations from the true mean,  $\mu$ .
- The sample calculation is based on the data deviations from  $x\text{-bar}$ , not  $\mu$ .  $X\text{-bar}$  is an **estimator** of  $\mu$ ; close but not the same. So the  $n-1$  divisor is used to compensate for the error in the mean estimation.

Sec 6-1 Numerical Summaries of Data

Copyright © 2014 John Wiley & Sons, Inc. All rights reserved.

12  
WILEY

## Degrees of Freedom

---

- The sample variance is calculated with the quantity  $n-1$ .
- This quantity is called the “degrees of freedom”.
- Origin of the term:
  - There are  $n$  deviations from  $x$ -bar in the sample.
  - The sum of the deviations is zero.
  - $n-1$  of the observations can be freely determined, but the  $n^{\text{th}}$  observation is fixed to maintain the zero sum.

Sec 6-1 Numerical Summaries of Data

Copyright © 2014 John Wiley & Sons, Inc. All rights reserved.

13

WILEY

## Sample Range

---

If the  $n$  observations in a sample are denoted by  $x_1, x_2, \dots, x_n$ , the **sample range** is:

$$r = \max(x_i) - \min(x_i) \quad (6-6)$$

It is the largest observation in the sample minus the smallest observation.

From **Example 6-3**:

$$r = 13.6 - 12.3 = 1.30$$

Note that: population range  $\geq$  sample range

Sec 6-1 Numerical Summaries of Data

Copyright © 2014 John Wiley & Sons, Inc. All rights reserved.

14

WILEY

## Stem-and-Leaf Diagrams

- Dot diagrams (dotplots) are useful for small data sets. Stem & leaf diagrams are better **for large sets**.
- Steps to construct a stem-and-leaf diagram:
  - 1) Divide each number ( $x_i$ ) into two parts: a **stem**, consisting of the leading digits, and a **leaf**, consisting of the remaining digit.
  - 2) List the stem values in a vertical column.
  - 3) Record the leaf for each observation beside its stem.
  - 4) Write the units for the stems and leaves on the display.

Sec 6-2 Stem-And-Leaf Diagrams

Copyright © 2014 John Wiley &amp; Sons, Inc. All rights reserved.

15

WILEY

## Example 6-4: Alloy Strength

To illustrate the construction of a stem-and-leaf diagram, consider the alloy compressive strength data in Table 6-2.

Table 6-2 Compressive Strength (psi) of Aluminum-Lithium Specimens

105	221	183	186	121	181	180	143
97	154	153	174	120	168	167	141
245	228	174	199	181	158	176	110
163	131	154	115	160	208	158	133
207	180	190	193	194	133	156	123
134	178	76	167	184	135	229	146
218	157	101	171	165	172	158	169
199	151	142	163	145	171	148	158
160	175	149	87	160	237	150	135
196	201	200	176	150	170	118	149

Stem	Leaf	Frequency
7	6	1
8	7	1
9	7	1
10	5 1	2
11	5 8 0	3
12	1 0 3	3
13	4 1 3 5 3 5	6
14	2 9 5 8 3 1 6 9	8
15	4 7 1 3 4 0 8 8 6 8 0 8	12
16	3 0 7 3 0 5 0 8 7 9	10
17	8 5 4 4 1 6 2 1 0 6	10
18	0 3 6 1 4 1 0	7
19	9 6 0 9 3 4	6
20	7 1 0 8	4
21	8	1
22	1 8 9	3
23	7	1
24	5	1

Figure 6-4 Stem-and-leaf diagram for Table 6-2 data. Center is about 155 and most data is between 110 and 200. Leaves are unordered.

Sec 6-2 Stem-And-Leaf Diagrams

Copyright © 2014 John Wiley &amp; Sons, Inc. All rights reserved.

16

WILEY



## Quartiles

- The three quartiles partition the data into four equally sized counts or segments.
  - First or lower quartile : 25% of the data is less than  $q_1$ .
  - Second quartile : 50% of the data is less than  $q_2$ , the median.
  - Third or upper quartile : 75% of the data is less than  $q_3$ .
- For the Table 6-2 data:

$f$	Index	Value of indexed item		quartile
		$i^{\text{th}}$	$(i+1)^{\text{th}}$	
0.25	20.25	143	144	143.25
0.50	40.50	160	163	161.50
0.75	60.75	181	181	181.00

Sec 6-2 Stem-And-Leaf Diagrams

Copyright © 2014 John Wiley &amp; Sons, Inc. All rights reserved.

17

WILEY

## Percentiles and Interquartile Range

- Percentiles are a special case of the quartiles.
- Percentiles partition the data into 100 segments.
- The interquartile range (IQR) is defined as:
 
$$\text{IQR} = q_3 - q_1.$$
- From the Quartiles example:
 
$$\text{IQR} = 181.00 - 143.25 = 37.75 = 37.8$$
- Impact of outlier data:
  - IQR is not affected
  - Range is directly affected.

Sec 6-2 Stem-And-Leaf Diagrams

Copyright © 2014 John Wiley &amp; Sons, Inc. All rights reserved.

18

WILEY

## Minitab Descriptives

- The Minitab selection menu:  
Stat > Basic Statistics > Display Descriptive Statistics calculates the descriptive statistics for a data set.
- For the Table 6-2 data, Minitab produces:

Variable	N	Mean	StDev		
Strength	80	162.66	33.77		
	Min	Q1	Median	Q3	Max
	76.00	143.50	161.50	181.00	245.00
5-number summary					

Sec 6-2 Stem-And-Leaf Diagrams

Copyright © 2014 John Wiley &amp; Sons, Inc. All rights reserved.

19

WILEY

## Frequency Distributions

- A frequency distribution is a compact summary of data, expressed as a table, graph, or function.
- The data is gathered into bins or cells, defined by class intervals.
- The number of classes, multiplied by the class interval, should exceed the range of the data. The square root of the sample size is a guide.
- The boundaries of the class intervals should be convenient values, as should the class width.

Sec 6-3 Frequency Distributions And Histograms

Copyright © 2014 John Wiley &amp; Sons, Inc. All rights reserved.

20

WILEY

## Frequency Distribution Table

**Frequency Distribution for the data in Table 6-2**

**Considerations:**

$$\text{Range} = 245 - 76 = 169$$

$$\text{Sqrt}(80) = 8.9$$

$$\text{Trial class width} = 18.9$$

**Decisions:**

$$\text{Number of classes} = 9$$

$$\text{Class width} = 20$$

$$\text{Range of classes} = 20 * 9 = 180$$

$$\text{Starting point} = 70$$

Class	Frequency	Relative Frequency	Cumulative Relative Frequency
$70 \leq x < 90$	2	0.0250	0.0250
$90 \leq x < 110$	3	0.0375	0.0625
$110 \leq x < 130$	6	0.0750	0.1375
$130 \leq x < 150$	14	0.1750	0.3125
$150 \leq x < 170$	22	0.2750	0.5875
$170 \leq x < 190$	17	0.2125	0.8000
$190 \leq x < 210$	10	0.1250	0.9250
$210 \leq x < 230$	4	0.0500	0.9750
$230 \leq x < 250$	2	0.0250	1.0000
	80	1.0000	

Sec 6-3 Frequency Distributions And Histograms

Copyright © 2014 John Wiley & Sons, Inc. All rights reserved.

21

WILEY

## Histograms

- A histogram is a visual display of a frequency distribution, similar to a bar chart or a stem-and-leaf diagram.
- Steps to construct a histogram with equal bin widths:
  - 1) Label the bin boundaries on the horizontal scale.
  - 2) Mark & label the vertical scale with the frequencies or relative frequencies.
  - 3) Above each bin, draw a rectangle whose height is equal to the frequency corresponding to that bin.

Sec 6-3 Frequency Distributions And Histograms

Copyright © 2014 John Wiley & Sons, Inc. All rights reserved.

22

WILEY

## Histogram of the Table 6-2 Data




Figure 6-7 Histogram of compressive strength of 80 aluminum-lithium alloy specimens. Note these features – (1) horizontal scale bin boundaries & labels with units, (2) vertical scale measurements and labels, (3) histogram title at top or in legend.

Sec 6-3 Frequency Distributions And Histograms

Copyright © 2014 John Wiley & Sons, Inc. All rights reserved.

23

WILEY

## Histograms with Unequal Bin Widths

- If the data is tightly clustered in some regions and scattered in others, it is visually helpful to use narrow class widths in the clustered region and wide class widths in the scattered areas.
- In this approach, the rectangle **area**, not the height, must be proportional to the class frequency.

$$\text{Rectangle height} = \frac{\text{bin frequency}}{\text{bin width}}$$

Sec 6-3 Frequency Distributions And Histograms

Copyright © 2014 John Wiley & Sons, Inc. All rights reserved.

24

WILEY

## Poor Choices in Drawing Histograms




Figure 6-8 Histogram of compressive strength of 80 aluminum-lithium alloy specimens. Errors: too many bins (17) create jagged shape, horizontal scale not at class boundaries, horizontal axis label does not include units.

Sec 6-3 Frequency Distributions And Histograms

Copyright © 2014 John Wiley & Sons, Inc. All rights reserved.

25  
WILEY

## Cumulative Frequency Plot




Figure 6-10 Cumulative histogram of compressive strength of 80 aluminum-lithium alloy specimens. Comment: Easy to see cumulative probabilities, hard to see distribution shape.

Sec 6-3 Frequency Distributions And Histograms

Copyright © 2014 John Wiley & Sons, Inc. All rights reserved.

26  
WILEY

## Shape of a Frequency Distribution




Figure 6-11 Histograms of symmetric and skewed distributions.

(b) Symmetric distribution has identical mean, median and mode measures.

(a & c) Skewed distributions are positive or negative, depending on the direction of the long tail. Their measures occur in alphabetical order as the distribution is approached from the long tail. ☺

Sec 6-3 Frequency Distributions And Histograms

Copyright © 2014 John Wiley & Sons, Inc. All rights reserved.

27

WILEY

## Histograms for Categorical Data

- Categorical data is of two types:
  - Ordinal: categories have a natural order, e.g., year in college, military rank.
  - Nominal: Categories are simply different, e.g., gender, colors.
- Histogram bars are for each category, are of equal width, and have a height equal to the category's frequency or relative frequency.
- A Pareto chart is a histogram in which the categories are sequenced in decreasing order. This approach emphasizes the most and least important categories.

Sec 6-3 Frequency Distributions And Histograms

Copyright © 2014 John Wiley & Sons, Inc. All rights reserved.

28

WILEY

## Example 6-6: Categorical Data Histogram




Figure 6-12 Airplane production in 1985. (Source: Boeing Company) Comment: Illustrates nominal data in spite of the numerical names, categories are shown at the bin's midpoint, a Pareto chart since the categories are in decreasing order.

Sec 6-3 Frequency Distributions And Histograms

Copyright © 2014 John Wiley & Sons, Inc. All rights reserved.

29

WILEY

## Box Plot or Box-and-Whisker Chart

- A box plot is a graphical display showing center, spread, shape, and outliers (SOCS).
- It displays the 5-number summary:  $min$ ,  $q_1$ , median,  $q_3$ , and  $max$ .




Figure 6-13 Description of a box plot.


Sec 6-4 Box Plots

Copyright © 2014 John Wiley & Sons, Inc. All rights reserved.

30

WILEY

## Box Plot of Table 6-2 Data



**Figure 6-14** Box plot of compressive strength of 80 aluminum-lithium alloy specimens. Comment: Box plot may be shown vertically or horizontally, data reveals three outliers and no extreme outliers. Lower outlier limit is:  $143.5 - 1.5 \cdot (181.0 - 143.5) = 87.25$ .

Sec 6-4 Box Plots


Copyright © 2014 John Wiley & Sons, Inc. All rights reserved.

31

WILEY

## Time Sequence Plots

- A time series plot shows the data value, or statistic, on the vertical axis with time on the horizontal axis.
- A time series plot reveals trends, cycles or other time-oriented behavior that could not be seen in the data.



**Figure 6-16** Company sales by year (a). By quarter (b).

Sec 6-5 Time Sequence Plots

Copyright © 2014 John Wiley & Sons, Inc. All rights reserved.

32

WILEY



## Digidot Plot

Combining a time series plot with some of the other graphical displays that we have considered previously will be very helpful sometimes. The stem-and-leaf plot combined with a time series Plot forms a **digidot plot**.




Figure 6-17 A digidot plot of the compressive strength data in Table 6-2.

Sec 6-5 Time Sequence Plots

Copyright © 2014 John Wiley & Sons, Inc. All rights reserved.

33

WILEY

## Constructing a Probability Plot

- To construct a probability plot:
  - Sort the data observations in ascending order:  $X_{(1)}, X_{(2)}, \dots, X_{(n)}$ .
  - The observed value  $x_{(j)}$  is plotted against the observed cumulative frequency  $(j - 0.5)/n$ .
  - The paired numbers are plotted on the probability paper of the proposed distribution.
- If the paired numbers form a straight line, then the hypothesized distribution adequately describes the data.

Sec 6-6 Probability Plots

Copyright © 2014 John Wiley & Sons, Inc. All rights reserved.

34

WILEY

## Example 6-7: Battery Life

The effective service life ( $X_j$  in minutes) of batteries used in a laptop are given in the table. We hypothesize that battery life is adequately modeled by a normal distribution. To this hypothesis, first arrange the observations in ascending order and calculate their cumulative frequencies and plot them.




Table 6-6 Calculations for Constructing a Normal Probability Plot

$j$	$x_{(j)}$	$(j-0.5)/10$	$100(j-0.5)/10$
1	176	0.05	5
2	183	0.15	15
3	185	0.25	25
4	190	0.35	35
5	191	0.45	45
6	192	0.55	55
7	201	0.65	65
8	205	0.75	75
9	214	0.85	85
10	220	0.95	95

Figure 6-22 Normal probability plot for battery life.

Sec 6-6 Probability Plots

Copyright © 2014 John Wiley & Sons, Inc. All rights reserved.

35  
**WILEY**

## Probability Plot on Standardized Normal Scores

A normal probability plot can be plotted on ordinary axes using z-values. The normal probability scale is not used.




Table 6-6 Calculations for Constructing a Normal Probability Plot

$j$	$x_{(j)}$	$(j-0.5)/10$	$z_j$
1	176	0.05	-1.64
2	183	0.15	-1.04
3	185	0.25	-0.67
4	190	0.35	-0.39
5	191	0.45	-0.13
6	192	0.55	0.13
7	201	0.65	0.39
8	205	0.75	0.67
9	214	0.85	1.04
10	220	0.95	1.64

Figure 6-23 Normal Probability plot obtained from standardized normal scores. This is equivalent to Figure 6-19.

Sec 6-6 Probability Plots

Copyright © 2014 John Wiley & Sons, Inc. All rights reserved.

36  
**WILEY**

## Probability Plot Variations




Figure 6-24 Normal probability plots indicating a non-normal distribution.

- (a) Light tailed distribution
- (b) Heavy tailed distribution
- (c) Right skewed distribution


Sec 6-6 Probability Plots

Copyright © 2014 John Wiley & Sons, Inc. All rights reserved.

37  
WILEY

## Probability Plots with Minitab

- Obtained using Minitab menu: Graphics > Probability Plot. 14 different distributions can be used.
- The curved bands provide guidance whether the proposed distribution is acceptable – all observations within the bands is good.



Sec 6-6 Probability Plots

Copyright © 2014 John Wiley & Sons, Inc. All rights reserved.

38  
WILEY

## Important Terms & Concepts of Chapter 6

Box plot	Standard deviation
Frequency distribution & histogram	Variance
Median, quartiles & percentiles	Probability plot
Multivariate data	Relative frequency distribution
Normal probability plot	Sample:
Pareto chart	Mean
Population:	Standard deviation
Mean	Variance
	Stem-and-leaf diagram
	Time series plots